



**Embassy of the United States of America
Khartoum, Sudan**

April 3rd, 2019

Dear Prospective Vendors,

Subject: Request for Quotation

The US Embassy Khartoum would like to call for qualified contractors/vendors to supply roofs extruded polystyrene sheets per the following requirements:

- Extruded polystyrene sheets
 - Rigid board manufactured through a continuous extrusion process of polystyrene
 - Skin XPS Foam Board-
 - Overlap joint (SL)
 - Thermal Properties Long-term, stable R-value. Not less than (R-10)/inch or 1.8 (m²K)/W
 - Thickness: 5 cm (2 inch) (± 0.2)
 - Thermal Conductivity ≤ 0.03 w/(m.k).
 - Working Temperature -50°C to + 75 °C
 - Compressive strength not less than 300 Kpa.
 - Density: 32-38 Kg/m³
 - Size: not less than 120 cm (L) X 60 cm (B)
 - Do not support mold or mildew growth.
 - Packaging: wrapped in bundles
- Total amount: 5225 square meters.
- The work shall include transportation, delivery and handling inside the presidential compound, in Khartoum as requested by the COR.

No contractor/vendor offer shall be considered for evaluation without submitting the following with the quotation:-

- a sample 15 cm X 15 cm
- full specifications of the extruded polystyrene

For any inquiries, kindly send it before Thursday 11th April 2019, 04:00 pm. to alashgerya@state.gov The embassy shall reply to all bidders by Thursday April 19th.

Hard copies of the quotations shall be submitted to the embassy at Kilo 10, Soba. No quotations shall be accepted after Thursday 25th April 2019 at 15:00 pm.

Sincerely,

**Jolanta Mikiewicz
Contracting Office**